

16 November 2023

Richmond Regulated River Water Source

Water allocation update

The allocations for the current 2023/24 water year remain unchanged. All entitlements, including general security, received their maximum allocation for the year on 1 July 2023. This quarterly statement provides information on the current state of water resources.

General security usage to 31 October 2023 has been minimal, about 4% of entitlement. The current resource assessment returns a surplus of 4,386 megalitres (ML), but with all licenses already fully allocated this water remains unassigned and will improve future allocation reliability.

Current allocation

16 November 2023	Allocation Increment	Average Account Balance
General Security	0%	96%

Dam levels (as of 15 November 2023)

Toonumbar Dam is currently holding about 9.7 gigalitres (GL) and is about 87% full.

Climate outlook

The Bureau of Meteorology's seasonal outlook for December to February indicates that rainfall will likely be below median across the catchment. Day and overnight temperatures are likely to be warmer than median over the next three months for the catchment.


Further details at: www.bom.gov.au/climate/outlooks/#/overview/summary

Resource assessment data sheet

Resource Distribution – (November 2023 to June 2025)	(ML)	(ML)
Toonumbar Dam active storage volume (as at 1/11/2023) ¹		9,362
Minimum storage inflows (November 2023 to June 2024)		7,300
<i>Less</i>		
Basic Land Holder Rights	269	
Domestic and Stock	14	
Transparent releases	243	
Minimum storage releases	1,333	
High Security (HS) account balance	113	
Losses (evaporation, transmission, operation) ²	1,200	
Storage reserve for 2024/25 ³	0	
General Security (GS) account balance	9,104	
<i>equals</i>		
Surplus (or deficit) ⁴		4,386

- (1) The active storage volume in Toonumbar Dam as at 1 November 2023. Toonumbar Dam volume is capped at an active fully supply volume. Higher volumes of storage surcharge and spill are not counted as an available resource for allocation.
- (2) Storage evaporation loss, system transmission loss and operational loss are pro-rated for the remaining months of the water year from November 2023 to June 2024.
- (3) Storage reserve is the water that is set aside to meet future system losses plus essential requirements net of minimum inflows. In this case, the budgeted minimum inflows will be sufficient to cover the essential supply and system loss requirements for 2024/25 and beyond.
- (4) Surplus or deficit of available water after accounting for all commitments. The surplus signifies the additional resource available. As all accounts are fully allocated, this volume remains unallocated, improving the allocation reliability for the next water year.

Resource Distribution November 2023 Richmond Regulated River Water Source



The history of allocations in 2023/24 is shown in the table below.

Table 1. Water Allocations for the Richmond Regulated River Water Source in 2023/24

Date	License Category	Increment	Total 2023/24	Average Account Balance
1-Jul	Domestic & Stock	100%	100%*	100%*
1-Jul	High Security	1.0 ML/unit share	1.0 ML/unit share*	100%*
1-Jul	General Security	1.0 ML/unit share	1.0 ML/unit share*	100%*

* Maximum allowed

Further information

The next water allocation statement for the Richmond regulated river water source will be published in **April 2024** or earlier if conditions change significantly.

Information on available water determinations and water sharing plans is available on the Department of Planning and Environment website: water.dpie.nsw.gov.au/

Subscribe [here](#) to receive the Department of Planning and Environment’s monthly email update on water planning, management, and reform in New South Wales.

You can also follow the department on Twitter: @NSWDPIE_Water

Feedback on this work or any aspect of the department’s service can be provided using the widget at: www.dpie.nsw.gov.au/contact