

# Water Sharing Rules

## Bondi Lake Tributaries Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Not applicable

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not applicable
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

# Water Sharing Rules

## Curalo Lake and Tributaries Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Not applicable

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not applicable
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to on [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

# Water Sharing Rules

## Eden Tributaries Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Not applicable

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not applicable
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to on [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules

## Far South Coast Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access Rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Not applicable

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not applicable
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to on [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules

## Green Cape Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

<b>Cease to Pump / Commence to Pump</b>	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
<b>Reference Point</b>	Pump site or the inflow and outflow of the pumping pool.
<b>First flush</b>	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment
<b>Conversions</b>	
<b>Conversion to High Flow Access Licence</b>	Not permitted
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules

## Jingo Creek Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

### Access Rules

Flow Class	Total Daily Extraction Limits (ML/day) for:	
	Unregulated river access licences	Domestic & stock access licences
<b>Very Low flow</b> Stream flow is less than or equal to <b>0.5 ML/day</b>	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
<b>Low flow</b> Stream flow is greater than <b>0.5 ML/day</b> and less than <b>5 ML/day</b>	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
<b>A class flow</b> Stream flow is greater than <b>5 ML/day</b> and less than or equal to <b>15 ML/day</b>	2.7 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
<b>B class flow</b> Stream flow is greater than <b>15 ML/day</b> and less than or equal to <b>34 ML/day</b>	6.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
<b>C class flow</b> Stream flow is greater than <b>34 ML/day</b>	No TDEL	
<b>Flow Reference Point</b>	Towamba River at Towamba (Gauging Station 220004)	
<b>Commence to pump</b> (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.	

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

<b>Trading Rules</b>	
<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment
<b>Conversions</b>	
<b>Conversion to High Flow Access Licence</b>	Permitted at a ratio of 2.5 to 1, subject to assessment
<b>Aboriginal Community Development Licences</b>	Applications accepted

**For more information** about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules

## Lower Towamba River Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

<p><b>Rules Summary</b></p> <p>The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.</p>
--

<b>Access Rules</b>			
<b>Flow Class</b>	<b>Total Daily Extraction Limits (ML/day) for:</b>		
	<b>Local Water Utility access licences</b>	<b>Unregulated river access licences</b>	<b>Domestic &amp; stock access licences</b>
<b>Very Low flow</b> Stream flow is less than or equal to <b>0.5 ML/day</b>	1 ML/day	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
<b>Low flow</b> Stream flow is greater than <b>0.5 ML/day</b> and less than <b>5 ML/day</b>	1 ML/day	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
<b>A class flow</b> Stream flow is greater than <b>5 ML/day</b> and less than or equal to <b>15 ML/day</b>	3 ML/day (conditional on there being a visible flow in the river adjacent to the borefield)	1.8 ML/d to be shared amongst all unregulated river and domestic & stock access licences downstream of Gauge 220004	
<b>B class flow</b> Stream flow is greater than <b>15 ML/day</b> and less than or equal to <b>34 ML/day</b>	6 ML/day	4.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences downstream of Gauge 220004	
<b>C class flow</b> Stream flow is greater than <b>34 ML/day</b>	12 ML/day	No Total Daily Extraction Limit for unregulated river and domestic & stock access licences	
<b>Flow Reference Point</b>	Towamba River at Towamba (Gauging Station 220004)		
<b>Commence to pump</b> (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.		

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.



<b>Trading Rules</b>	
<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment
<b>Conversions</b>	
<b>Conversion to High Flow Access Licence</b>	Permitted at a ratio of 2.5 to 1, subject to assessment
<b>Aboriginal Community Development Licences</b>	Applications accepted

**For more information** about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules

## Mataganah Creek Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access Rules

Flow Class	Total Daily Extraction Limits (ML/day) for:	
	Unregulated river access licences	Domestic & stock access licences
<b>Very Low flow</b> Stream flow is less than or equal to <b>0.5 ML/day</b>	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
<b>Low flow</b> Stream flow is greater than <b>0.5 ML/day</b> and less than <b>5 ML/day</b>	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
<b>A class flow</b> Stream flow is greater than <b>5 ML/day</b> and less than or equal to <b>15 ML/day</b>	2.7 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
<b>B class flow</b> Stream flow is greater than <b>15 ML/day</b> and less than or equal to <b>34 ML/day</b>	6.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
<b>C class flow</b> Stream flow is greater than <b>34 ML/day</b>	No TDEL	
<b>Flow Reference Point</b>	Towamba River at Towamba (Gauging Station 220004)	
<b>Commence to pump</b> (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.	

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

<b>Trading Rules</b>	
<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment
<b>Conversions</b>	
<b>Conversion to High Flow Access Licence</b>	Permitted at a ratio of 2.5 to 1, subject to assessment
<b>Aboriginal Community Development Licences</b>	Applications accepted

**For more information** about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules

## Merimbula Creek Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

<b>Cease to Pump / Commence to Pump</b>	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
<b>Reference Point</b>	Pump site or the inflow and outflow of the pumping pool.
<b>First flush</b>	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not permitted
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

# Water Sharing Rules

## Merimbula Lake Tributaries Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

<b>Cease to Pump / Commence to Pump</b>	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
<b>Reference Point</b>	Pump site or the inflow and outflow of the pumping pool.
<b>First flush</b>	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not permitted
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

# Water Sharing Rules

## Myrtle Creek Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

### Access Rules

Flow Class	Total Daily Extraction Limits (ML/day) for:	
	Unregulated river access licences	Domestic & stock access licences
<b>Very Low flow</b> Stream flow is less than or equal to <b>0.5 ML/day</b>	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
<b>Low flow</b> Stream flow is greater than <b>0.5 ML/day</b> and less than <b>5 ML/day</b>	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
<b>A class flow</b> Stream flow is greater than <b>5 ML/day</b> and less than or equal to <b>15 ML/day</b>	2.7 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
<b>B class flow</b> Stream flow is greater than <b>15 ML/day</b> and less than or equal to <b>34 ML/day</b>	6.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
<b>C class flow</b> Stream flow is greater than <b>34 ML/day</b>	No TDEL	
<b>Flow Reference Point</b>	Towamba River at Towamba (Gauging Station 220004)	
<b>Commence to pump</b> (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.	

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

<b>Trading Rules</b>	
<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment
<b>Conversions</b>	
<b>Conversion to High Flow Access Licence</b>	Permitted at a ratio of 2.5 to 1, subject to assessment
<b>Aboriginal Community Development Licences</b>	Applications accepted

**For more information** about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules

## Nullica River Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Not applicable

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not applicable
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)



# Water Sharing Rules

## Pambula Lake Tributaries Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

<b>Cease to Pump / Commence to Pump</b>	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
<b>Reference Point</b>	Pump site or the inflow and outflow of the pumping pool.
<b>First flush</b>	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not permitted
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

# Water Sharing Rules

## Pericoe Creek Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access Rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Not applicable

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not applicable
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

# Water Sharing Rules

## Sandy Beach Creek Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

<b>Cease to Pump / Commence to Pump</b>	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
<b>Reference Point</b>	Pump site or the inflow and outflow of the pumping pool.
<b>First flush</b>	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not permitted
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules

## Stockyard Creek Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access Rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Not applicable

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not applicable
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

# Water Sharing Rules

## Towamba Estuary Tributaries Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

<b>Cease to Pump / Commence to Pump</b>	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
<b>Reference Point</b>	Pump site or the inflow and outflow of the pumping pool.
<b>First flush</b>	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Not applicable
<b>Conversions</b>	
<b>Conversion to High Flow Access Licence</b>	Not applicable
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules

## Tura Beach Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

There are currently no licences in this water source, and it is recommended that no licences are permitted to be traded into this water source. Therefore, no access rules have been proposed for this water source.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Not applicable

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not applicable
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules

## Upper Towamba River Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

<p><b>Rules Summary</b></p> <p>The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.</p>
--

<b>Access Rules</b>		
<b>Flow Class</b>	<b>Total Daily Extraction Limits (ML/day) for:</b>	
	<b>Unregulated river access licences</b>	<b>Domestic &amp; stock access licences</b>
<b>Very Low flow</b> Stream flow is less than or equal to <b>0.5 ML/day</b>	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
<b>Low flow</b> Stream flow is greater than <b>0.5 ML/day</b> and less than <b>5 ML/day</b>	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
<b>A class flow</b> Stream flow is greater than <b>5 ML/day</b> and less than or equal to <b>15 ML/day</b>	2.7 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
<b>B class flow</b> Stream flow is greater than <b>15 ML/day</b> and less than or equal to <b>34 ML/day</b>	6.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
<b>C class flow</b> Stream flow is greater than <b>34 ML/day</b>	No TDEL	
<b>Flow Reference Point</b>	Towamba River at Towamba (Gauging Station 220004)	
<b>Commence to pump</b> (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.	

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

<b>Trading Rules</b>	
<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment
<b>Conversions</b>	
<b>Conversion to High Flow Access Licence</b>	Permitted at a ratio of 2.5 to 1, subject to assessment
<b>Aboriginal Community Development Licences</b>	Applications accepted

**For more information** about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.



# Water Sharing Rules

## Wallagoot Lake and Tributaries Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

### Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

#### Access rules

<b>Cease to Pump / Commence to Pump</b>	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
<b>Reference Point</b>	Pump site or the inflow and outflow of the pumping pool.
<b>First flush</b>	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

#### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment

#### Conversions

<b>Conversion to High Flow Access Licence</b>	Not permitted
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

# Water Sharing Rules

## Wog Wog River Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

<b>Rules Summary</b>		
The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.		
<b>Access Rules</b>		
<b>Flow Class</b>	<b>Total Daily Extraction Limits (ML/day) for:</b>	
	<b>Unregulated river access licences</b>	<b>Domestic &amp; stock access licences</b>
<b>Very Low flow</b> Stream flow is less than or equal to <b>0.5 ML/day</b>	No access	No access for stock purposes from Year 1. No access for domestic purposes from Year 4.
<b>Low flow</b> Stream flow is greater than <b>0.5 ML/day</b> and less than <b>5 ML/day</b>	No access	Access permitted subject to the Reasonable Use Guidelines (under development)
<b>A class flow</b> Stream flow is greater than <b>5 ML/day</b> and less than or equal to <b>15 ML/day</b>	2.7 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
<b>B class flow</b> Stream flow is greater than <b>15 ML/day</b> and less than or equal to <b>34 ML/day</b>	6.5 ML/d to be shared amongst all unregulated river and domestic & stock access licences upstream of Gauge 220004	
<b>C class flow</b> Stream flow is greater than <b>34 ML/day</b>	No TDEL	
<b>Flow Reference Point</b>	Towamba River at Towamba (Gauging Station 220004)	
<b>Commence to pump</b> (unregulated river access licences)	Once stream flows have fallen below 5 ML/d for a period of 24 hours, water may not be taken until stream flows exceed 15 ML/d.	

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

<b>Trading Rules</b>	
<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment
<b>Conversions</b>	
<b>Conversion to High Flow Access Licence</b>	Permitted at a ratio of 2.5 to 1, subject to assessment
<b>Aboriginal Community Development Licences</b>	Applications accepted

**For more information** about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

# Water Sharing Rules Wonboyn River Water Source

<b>Water Sharing Plan</b>	Towamba River Unregulated and Alluvial Water Sources
<b>Plan Commencement Date</b>	17 December 2010
<b>Term of the Plan</b>	10 years

## Rules Summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

### Access rules

<b>Cease to Pump / Commence to Pump</b>	Cease to Pump once there is no visible flow at the pumpsite, or where water is being taken from a pool, once there is no inflow to, or outflow from, the pool; Commence to Pump once there is flow at the pumpsite, or where water is being taken from a pool, once there is inflow to, and outflow from, the pumping pool.
<b>Reference Point</b>	Pump site or the inflow and outflow of the pumping pool.
<b>First flush</b>	If flows have not exceeded the Cease To Pump (CTP) level for a period of 30 consecutive days, water may not be taken for a period of 12 hours after flows have exceeded the CTP level.

Note: These rules will apply to aquifer access licences extracting from alluvial sediments from year six of the plan, except licences for unaugmented local water utilities, food safety or essential daily care. Aquifer access licences issued following the commencement of the plan will be subject to these rules immediately. Aquifer extractions for stock and domestic use will not require access licences and will not be subject to the above rules.

### Trading Rules

<b>Trading INTO</b>	Not permitted
<b>Trading WITHIN</b>	Permitted, subject to assessment

### Conversions

<b>Conversion to High Flow Access Licence</b>	Not permitted
<b>Aboriginal Community Development Licences</b>	Not permitted

For more information about the Water Sharing Plan for the Towamba River Unregulated and Alluvial Water Sources refer to [www.industry.nsw.gov.au/water](http://www.industry.nsw.gov.au/water)