

Water sharing rules Bobundara Creek Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact
WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool.
Reference point	Pump site or the pool from which water was taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a time delay.
Reference point	River or creek closest to the water supply work.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan, .
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Permitted, subject to assessment.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Bombala River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when flows are equal or less than 0.2 ML/day (equivalent to the 90 th percentile).
Commence to pump	Pumping is permitted on a rising river when flows exceed 2.8 ML/day (equivalent to the 80 th percentile).
Reference point	Bombala River at Bombala Town (Gauging station 222019).

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when flows are equal to or less than 0.2 ML/day (equivalent to the 90 th percentile).
Commence to pump	From year 6 of the plan, pumping is permitted on a rising river when flows exceed 2.8 ML/day (equivalent to the 80 th percentile).
	Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	Bombala River at Bombala Town (Gauging station 222019).

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Not permitted.
WITHIN water source	Trade into Coolumbooka Trading Zone is not permitted. Trading elsewhere within the water source is permitted, subject to assessment.
Conversion to high flow only access	Permitted, subject to assessment, at a ratio of 2.5:1.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Burrungubugge River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Cease to pump	There are currently no licences in this water source. Flow classes and access rules have not been established for this water source.
Trading rules	
INTO water source	Not permitted.
WITHIN water source	N/A

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Cobbin Creek Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site or, where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point when there is no visible flow out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.
Amendment provision	The plan allows for access rules to be changed if diversions to Lake Jindabyne are altered.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Not permitted.
WITHIN water source	Permitted, subject to assessment.
Amendment provision	The plan allows for trade rules to be changed if diversions from Cobbin Creek to Lake Jindabyne are altered.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Delegate River Water Source

Water sharing plan	The Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

1. Little Plains Management Zone

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when flows are equal to or less than 38 ML/day (equivalent to the 90 th percentile).
Commence to pump	Pumping is permitted on a rising river when flows exceed 53 ML/day (equivalent to the 80 th percentile).
Reference point	Little Plains River @ Wellesley (Rowes) (Gauging station 222004).

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when flows are equal to or less than 38 ML/day (equivalent to the 90 th percentile).
Commence to pump	From year 6 of the plan, pumping is permitted when flows have exceeded 53 ML/day (equivalent to the 80 th percentile).
	Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	Little Plains River @ Wellesley (Rowes) (Gauging station 222004).

2. Quidong Management Zone

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when flows are equal to or less than 69 ML/day (equivalent to the 90 th percentile).
----------------------	--

Access rules	
Commence to pump	Pumping is permitted on a rising river when flows exceed 99 ML/day (equivalent to the 80 th percentile).
Reference point	Delegate River @ Quidong (Gauging station 222008).
Access rules for natural off-river pools	
Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.
Access rules for alluvial aquifers	
Cease to pump	From year 6 of the plan, pumping is not permitted when flows are equal to or less than 69 ML/day (equivalent to the 90th percentile).
Commence to pump	From year 6 of the plan, pumping is permitted when flows have exceeded 99 ML/day ((equivalent to the 80th percentile).
	Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	Delegate River @ Quidong (Gauging station 222008).
<p>Note: These access rules do not apply:</p> <ol style="list-style-type: none"> 1. if the existing <i>Water Act 1912</i> entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan, 2. Local water utility access licences, 3. Town water supply access licences, 4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day, 5. water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the <i>Water Management Act 2000</i>, 6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan. 	
Trading rules	
INTO water source	Prohibited.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Eucumbene River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact
WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point when there is no visible flow out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Not permitted.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Genoa River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Cease to pump	There are currently no licences in this water source. Flow classes and access rules have not been established for this water source.,
Trading rules	
INTO water source	Not permitted.
WITHIN water source	N/A

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Gungarlin River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Cease to pump	There are currently no licences in this water source. Flow classes and access rules have not been established for this water source.
----------------------	--

Trading rules

INTO water source	Not permitted.
WITHIN water source	N/A

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Kara Creek Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact
WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point when there is no visible flow out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Permitted, subject to assessment.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Lake Eucumbene Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact
WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point when there is no visible flow out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Permitted, subject to assessment.
WITHIN water source	Permitted, subject to assessment.
Aboriginal community development licences	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Lake Jindabyne Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point when there is no visible flow out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Permitted, subject to assessment.
WITHIN water source	Permitted, subject to assessment.
Aboriginal community development licences	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Lower NSW Snowy River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when flows are equal to or less than 119 ML/day (equivalent to 90 th percentile).
Reference point	Gauge 222026 Snowy River at Dalgety Weir.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when flows are equal to or less than 119 ML/day (equivalent to 90th percentile). Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a time delay.
Reference point	Gauge 222026 Snowy River at Dalgety Weir.
Amendment provision	The plan allows for access rules to be changed if environmental flows release patterns change.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Not permitted.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Maclaughlin River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when flows are equal to or less than 0.6 ML/day (equivalent to 90 th percentile).
Reference point	Maclaughlin River @ The Hut (222017).

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when flows are equal to or less than 0.6 ML/day (equivalent to 90th percentile). Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	Maclaughlin River @ The Hut (222017).

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Permitted, subject to assessment, but total entitlement in the water source cannot exceed the entitlement that existed at the commencement of the water sharing plan (307.5 ML/yr).
WITHIN water source	Permitted, subject to assessment.
Conversion to High flow only access	Permitted, subject to assessment, at a ratio of 2.5:1.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules

Matong Creek to Stony Creek Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Cease to pump	There are currently no licences in this water source. Flow classes and daily access rules have not been established for this water source,
----------------------	--

Trading rules

INTO water source	Not permitted.
WITHIN water source	N/A

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Mowamba River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.
Amendment provision	The plan allows for access rules to be changed if diversions to Lake Jindabyne are altered.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Not permitted.
WITHIN water source	Permitted, subject to assessment,
Amendment provision	The plan allows for trade rules to be changed if diversions from Mowamba River to Lake Jindabyne are altered.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Perisher Creek Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.
Amendment provision	The plan allows for access rules to be changed if environmental flows require further protection.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Permitted, subject to assessment.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Pinch River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Cease to pump	There are currently no licences in this water source. Flow classes and daily access rules have not been established for this water source.
Trading rules	
INTO water source	Not permitted.
WITHIN water source	N/A

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Reedy Creek Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Cease to pump	There are currently no licences in this water source. Flow classes and daily access rules have not been established for this water source.
Trading rules	
INTO water source	Not permitted.
WITHIN water source	N/A

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Thredbo River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when flows are equal to or less than 68 ML/day (equivalent to the 95 th percentile).
Reference point	Thredbo River at Paddy's Corner (Gauging Station 222541).

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when flows are equal to or less than 68 ML/day (equivalent to the 95 th percentile). Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	Thredbo River at Paddy's Corner (Gauging Station 222541).

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Not permitted.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Tombong Creek to Little River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are be carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Not permitted.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Upper Snowy River Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. Water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. Water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Permitted into Guthega Pondage. Not permitted into the remainder of the water source.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules

Upper Snowy River (Island Bend Reach) Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.
Amendment provision	The plan allows for access rules to be rewritten if environmental flows change.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Not permitted.
WITHIN water source	Permitted.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Upper Snowy River (Munyang Reach) Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.
Amendment provision	The plan allows for access rules to be changed if environmental flows require further protection.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Permitted, subject to assessment.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Wollondibby Creek Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a lag time.
Reference point	River or creek closest to the water supply work.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Permitted, subject to assessment.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.

Water sharing rules Wullwye Creek Water Source

Water sharing plan	Snowy Genoa Unregulated and Alluvial Water Sources
Plan commencement	1 July 2016
Term of the plan	10 years

Rules summary

The following rules are a guide only. For more information please contact WaterNSW on 1300 662 077.

Access rules

Access rules for rivers, creeks and natural in-river pools

Cease to pump	Pumping is not permitted when there is no visible flow at the pump site, or where water is being taken from a pool, when the water level in the pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow out of that pool.
Reference point	Pump site or pool from which water is taken.

Access rules for natural off-river pools

Cease to pump	Pumping is not permitted when the water level in that natural off-river pool is lower than its full capacity. Note: 'Full capacity' can be approximated by the pool water level at the point where there is no visible flow into and out of that pool. Note: Natural off-river pools include those pools located on flood runners, floodplains and effluents e.g. lakes, lagoons and billabongs.
Reference point	Individual natural off-river pool.

Access rules for alluvial aquifers

Cease to pump	From year 6 of the plan, pumping is not permitted when there is no visible flow at the reference point. Note: In most cases, groundwater extractions for stock and domestic purposes will not require an aquifer access licence. Note: These rules only apply to aquifer access licences within 40 metres of a stream. At a later date, aquifer access licences outside 40 metres of any stream may be subject to these access rules with a time delay.
Reference point	River or creek closest to the water supply work.

Access rules

Note: These access rules do not apply:

1. if the existing *Water Act 1912* entitlement had more stringent access licence conditions. These existing conditions are carried forward under the plan and are included in Schedule 1 of the plan,
2. Local water utility access licences,
3. Town water supply access licences,
4. Stock and domestic licences for the first three years of the plan, provided that extraction for stock purposes does not exceed 14 litres per hectare of grazeable area per day,
5. water taken from existing dams. Any existing licence conditions associated with a dam will be carried over when the licence is converted under the *Water Management Act 2000*,
6. water taken for health and hygiene purposes under licences listed in the Water Sharing Plan.

Trading rules

INTO water source	Permitted, subject to assessment.
WITHIN water source	Permitted, subject to assessment.

More information about the planning process for the Snowy Genoa Unregulated and Alluvial Water Sources is available at www.industry.nsw.gov.au/water

Disclaimer: While every reasonable effort has been made to ensure that this document is correct at the time of printing, the State of New South Wales, its agents and employees, disclaim any and all liability to any person in respect of anything or the consequences of anything done or omitted to be done in reliance upon the whole or any part of this document.